# MOLYVAN® 3000

Friction Reducer,
Antiwear Agent
& Antioxidant



### TECHNICAL DATA

**MOLYVAN®** 3000 Friction Reducer is an exceptional oil soluble molybdenum dithiocarbamate (MoDTC) friction reducer with antiwear and antioxidant properties. Its unique alkyl group structure allows for improved solubility in today's less polar base oils which makes it compatible with a wide range of automotive and industrial lubricants.

### CHEMICAL COMPOSITION -

Molybdenum dialkyldithiocarbamate

### - Typical properties -

Appearance	Brown liquid
Color, 1.0 % in hexane	L5.0
Molybdenum Content, %	10.1
Sulfur, %:	10.7
Density @ 25 °C, Mg/m³	1.05
Viscosity at 100 °C, mm²/s	53.0
Flash Point, CCCFP, °C	166

\*The analytical data listed above are not specifications

# - APPLICATIONS -

- Passenger car motor oil
- Heavy duty diesel engine oil\*

Greases

Industrial oils

\*Use in Heavy Duty diesel engine oil requires assessment of corrosion performance in ASTM D6594

### ADVANTAGES -


- Excellent solubility at ambient and low temperatures
- Demonstrates outstanding friction reduction and aged oil friction retention properties in 5W-30 and 0W-20 motor oils compared to other molybdenum dithiocarbamates
- Shows accelerated film formation tendencies

### – SOLUBILITY –

- Soluble in petroleum products
- Please refer to the MOLYVAN® 3000 Brochure for solubility and performance information. Click Here For Brochure

STANDARD PACKAGING -

425 lb drum



# STORAGE AND HANDLING

### **STORAGE**

Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. This product has a tendency upon standing to exhibit some crystallization or gelling. If this happens, the product may be re-liquified by agitation and heating at 40 to 50 °C.

### **HANDLING**

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# REGISTRATION

Please refer for section 15 of SDS for regulatory information

# CONTACT INFORMATION

For samples, product information and/or technical service please contact Vanderbilt Chemicals, LLC or the Vanderbilt representative in your area:

### Vanderbilt Chemicals, LLC

30 Winfield Street, P.O. Box 5150 Norwalk, CT 06856-5150 P: (203) 853-1400 F: (203) 853-1452 vanderbiltchemicals.com

### Vanderbilt (Beijing) Trading, Ltd

Room 220A, Tower A No. 8 Hengfeng Road Science Town, Fengtai District Beijing 100070 P. R. China P: 011-86 10 56541176 F: 011-86 10 56541175

### Vanderbilt Worldwide Ltd

12 Park House Alvaston Business Park, Middlewich Road Nantwich, Cheshire, CW5 6PF United Kingdom www.vanderbiltworldwide.com

Before using, read, understand and comply with the information and precautions in the Safety Data Sheets, label and other product literature. The information presented herein, while not guaranteed, was prepared by technical personnel and, to the best of our knowledge and belief, is true and accurate as of the date hereof. No warranty, representation or guarantee, express or implied, is made regarding accuracy, performance, stability, reliability or use. This information is not intended to be all-inclusive, because the manner and conditions of use, handling, storage and other factors may involve other or additional safety or performance considerations. The user is responsible for determining the suitability of any material for a specific purpose and for adopting such safety precautions as may be required Vanderbilt Chemicals, LLC does not warrant the results to be obtained in using any material, and disclaims all liability with respect to the use, handling or further processing of any such material. No suggestion for use is intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patent, trademark or copyright or to violate any federal, state or local law or regulation.