VANLUBE® 692E

Ashless Antiwear and Extreme Pressure Additive



TECHNICAL DATA

VANLUBE® 692E Lubricant Additive is an ashless amine phosphate that is used as an antiwear/extreme pressure additive in metal working fluids and a wide range of industrial lubricants.

CHEMICAL COMPOSITION -

Amine Phosphate Compound

- TYPICAL PROPERTIES -

Physical State	Dark amber liquid
Color, ASTM D1500	3.0
Density @ 15.6 °C, Mg/m ³	0.99
Viscosity @ 100 °C, mm²/s	54.0
Flash Point (PMCC), °C	165.5
Nitrogen Content, %	2.7
Phosphorous Content, %	5.8

* The analytical data listed above are not specifications

APPLICATIONS -

- Metal Working Fluids
- Hydraulic Fluids
- Compressor Fluids
- Industrial Gear Oils
- Turbine Oils
- Process Oils
- Circulating Oils
- Greases

- RECOMMENDED TREAT RATES

• Recommended treat rates are 1 to 3.0% based on application

- ADVANTAGES -

- Offers utility as sulfur-free and ashless antiwear additive in metalworking fluids
- Works well with other Vanderbilt Petroleum additives to reduce wear in various industrial formulations for improved 4-Ball wear
- Functions as ashless extreme pressure additive to improve FZG & 4-Ball EP performance
- Incorporates both aryl and long chain alkyl groups to improve solubility in mineral oil
- Enhances extreme pressure properties of sulfurized olefins, chlorinated paraffins, dithiocarbamates and phosphorodithioates

SOLUBILITY ·

Has good solubility in petroleum and synthetic base oils

STANDARD PACKAGING -

- 400 lb. Metal Drums
- Bulk Loads Available

STORAGE AND HANDLING -

- Please refer to section 7 of the SDS for handling and storage information.
- Long Term Storage Temperature is Room Temperature
- Being a highly viscous material, it is recommended that it be heated prior to blending into finished lubricants. Short Term Maximum Temperature is 75°C

REGISTRATION -

Please refer to section 15 of the SDS for regulatory information.

CONTACT INFORMATION -

For samples, product information and/or technical service please contact Vanderbilt Chemicals, LLC or the Vanderbilt representative in your area:

Vanderbilt Chemicals, LLC

30 Winfield Street, P.O. Box 5150 Norwalk, CT 06856-5150 P: (203) 853-1400 F: (203) 853-1452 www.vanderbiltchemicals.com

Vanderbilt (Beijing) Trading, Ltd

Room 220A, Tower A No. 8 Hengfeng Road Science Town, Fengtai District Beijing 100070 P. R. China P: 011- 86 10 56541176 F: 011- 86 10 56541175

Vanderbilt Worldwide Ltd

12 Park House Alvaston Business Park, Middlewich Road Nantwich, Cheshire, CW5 6PF United Kingdom www.vanderbiltworldwide.com

R

Registered and pending trademarks appearing in these materials are those of Vanderbilt Chemicals, LLC 05/06/2021

Before using, read, understand and comply with the information and precautions in the Safety Data Sheets, label and other product literature. The information presented herein, while not guaranteed, was prepared by technical personnel and, to the best of our knowledge and belief, is true and accurate as of the date hereof. No warranty, representation or guarantee, express or implied, is made regarding accuracy, performance, stability, reliability or use. This information is not intended to be all-inclusive, because the manner and conditions of use, handling, storage and other factors may involve other or additional safety or performance considerations. The user is responsible for determining the suitability of any material for a specific purpose and for adopting such safety precautions as may be required Vanderbilt Chemicals, LLC does not warrant the be obtained in using any material, and disclaims all liability with respect to the use, handling or truther processing of any such material. No suggestion for use is intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patent, trademark or copyright or to violate any federal, state or local law or regulation.