



Vanderbilt Minerals, LLC

A Wholly Owned Subsidiary of R.T. Vanderbilt Holding Company, Inc.
33 WINFIELD STREET, P.O. BOX 5150, NORWALK, CONNECTICUT 06856-5150 • (203) 295-2140
Fax (203) 855-1220 • Internet Address: www.vanderbiltminerals.com

Specification

DARVAN® 7-N Dispersant

November 18, 2024

Product Code: 14395
Composition: Sodium polymethacrylate aqueous solution
Physical State: Water-white liquid

	<u>SPECIFICATION</u>	<u>TEST METHOD</u>
*pH, 5% solution	9.0 – 11.5	T-19
*Specific Gravity	1.13 – 1.17	T-1129
*Solids	24.0 – 26.0%	T-1128
*Viscosity, Brookfield LVF, #1 spindle at 20 rpm	75 cps maximum	T-60

GENERAL INFORMATION

Typical values not routinely measured or reported on the Certificate of Analysis.

Foaming	Very slight
Stability	Stable over a wide pH range
Solubility	Very soluble in aqueous systems

*Certified Property

Re-inspection interval: 2 years

Uses – For NR and SR latexes. Non-discoloring dispersing agent for preparing high solids dispersions.

DARVAN® 7-N Dispersing Agent is intended for industrial and agricultural use only. This product is not intended for other uses, such as for pharmaceuticals or cosmetics.

DARVAN is a registered trademark of Vanderbilt Minerals, LLC.

The information presented herein, while not guaranteed, was prepared by technical personnel and, to the best of our knowledge and belief, is true and accurate as of the date hereof. No warranty, representation or guarantee, express or implied, is made regarding accuracy, performance, stability, reliability or use. This information is not intended to be all-inclusive, because the manner and conditions of use, handling, storage and other factors may involve other or additional safety or performance considerations. The user is responsible for determining the suitability of any material for a specific purpose and for adopting such safety precautions as may be required. Vanderbilt Minerals, LLC does not warrant the results to be obtained in using any material, and disclaims all liability with respect to the use, handling or further processing of any such material. No suggestion for use is intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patent or to violate any federal, state or local law or regulation.