

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/08/2024

Version No: 8.04

Reviewed on 05/08/2024

**1 Identification**· **Product identifier**· **Trade name:**  
**SONGNOX® 1024****SONGNOX® 1024 PW, SONGNOX® 1024 FF, SONGNOX® 1024 FG**· **CAS Number:**

32687-78-8

· **EC number:**

251-156-3

· **Recommended use:**

Antioxidant

Plastic additive

· **Restrictions on use:** Uses not specified· **Details of the supplier of the safety data sheet**· **Manufacturer/Supplier:**

Songwon Industrial Co., Ltd.

83, Jangsaengpo-ro, Nam-gu, Ulsan, Korea

Tel: +82 (0)52-273-9841

Fax: +82 (0)52-272-3528

Email: sds@songwon.com

Songwon International AG

Walzmühlestrasse 48

CH-8500 Frauenfeld

Tel: +41 (0)52 635 00 00

Fax: +41 (0)52 635 00 01

Email: sds@songwon.com

· **Emergency telephone number:**

North East Asia / South East Asia: Call Songwon Ind. Tel: +82 (0)52-273-9841

Europe / Middle East / India / Africa: Call BIG Tel: +32 (0)14-584545

Americas: Call CHEMTREC Day or Night DOMESTIC NORTH AMERICA 1-800-424-9300

INTERNATIONAL, CALL USA 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification**· **Classification of the substance or mixture**

Combustible Dust May form combustible dust concentrations in the air.

· **Additional information:**

Granular or free flow product grades may form combustible dust concentrations in air if processing activities significantly reduce the particle size (e.g. mechanical or pneumatic conveying, grinding, pulverizing).

The powder grades of this product may form combustible dust concentrations in air.

· **Label elements**· **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** Void· **Signal word** Warning· **Hazard statements**

May form combustible dust concentrations in the air.

· **Additional information:**

Granular or free flow product grades may form combustible dust concentrations in air if processing activities significantly reduce the particle size (e.g. mechanical or pneumatic conveying, grinding,

(Contd. on page 2)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/08/2024

Version No: 8.04

Reviewed on 05/08/2024

Trade name: SONGNOX® 1024

(Contd. of page 1)

pulverizing).

The powder grades of this product may form combustible dust concentrations in air.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**  
Combustible dust hazard for products supplied in powder form or if converted or reduced to small particles during further processing, handling, or by other means.
- **HMIS ratings (scale 0 - 4)**  
Combustible dust hazard for products supplied in powder form if converted or reduced to small particles during further processing, handling, or by other means.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** No
- **vPvB:** No

**3 Composition/information on ingredients**

- **Chemical characterization: Substances**
- **CAS No. Description**  
32687-78-8 2',3-bis[[3-[3,5-di-tert-butyl-4-hydroxyphenyl]propionyl]]propionohydrazide
- **Identification number(s)**
- **EC number:** 251-156-3

**4 First-aid measures**

- **Description of first aid measures**
- **General information:**  
No special measures required.  
If symptoms persist consult doctor.
- **After inhalation:** Supply fresh air.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**  
Rinse opened eye for several minutes under running water.  
Remove contact lenses, if present and easy to do. Continue rinsing.
- **After swallowing:** Rinse mouth.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.  
In case of fire, the following can be released:  
Carbon monoxide  
Carbon dioxide

(Contd. on page 3)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/08/2024

Version No: 8.04

Reviewed on 05/08/2024

Trade name: **SONGNOX® 1024**

(Contd. of page 2)

Nitrogen oxides (NOx)

· **Advice for firefighters**· **Protective equipment:** Wear self-contained respiratory protective device.· **Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

**6 Accidental release measures**· **Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Wear protective clothing.

Avoid formation of dust.

Keep away from ignition sources.

· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.· **Methods and material for containment and cleaning up:**

Pick up mechanically.

Dispose of the collected material according to regulations.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**7 Handling and storage**· **Handling:**· **Precautions for safe handling**

Prevent formation of dust.

Any deposit of dust which cannot be avoided must be regularly removed.

Ensure good ventilation/exhaustion at the workplace.

· **Information about protection against explosions and fires:**

Dust can combine with air to form an explosive mixture.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· **Conditions for safe storage, including any incompatibilities**· **Storage:**· **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.· **Information about storage in one common storage facility:** Store away from oxidizing agents.· **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· **Specific end use(s)** No further relevant information available.**8 Exposure controls/personal protection**· **Additional information about design of technical systems:** No further data; see section 7.· **Control parameters**· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional Occupational Exposure Limit Values for possible hazards during processing:**PEL: 15\* 5\*\* mg/m<sup>3</sup>

\* total dust \*\*respirable fraction

(Contd. on page 4)

— US —

## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/08/2024

Version No: 8.04

Reviewed on 05/08/2024

Trade name: **SONGNOX® 1024**

(Contd. of page 3)

REL: 10\* 5\*\* mg/m<sup>3</sup>

\* total dust \*\*respirable fraction

TLV: 10 mg/m<sup>3</sup>

Dust Value

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

The usual precautionary measures for handling chemicals should be followed.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:**

Protective gloves and protective skin cream

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

· **Body protection:** Protective work clothing

· **Limitation and supervision of exposure into the environment** No further relevant information available.

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Solid in various forms

**Color:** White

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

**Melting point/Melting range:** 228.6 °C (443.5 °F) (DSC)

**Boiling point/Boiling range:** > 275 °C (> 527 °F) (TGA measurements)

· **Flash point:** Not determined.

· **Flammability (solid, gaseous):** Product is not flammable.

· **Auto igniting:** Not determined.

· **Decomposition temperature:** Not determined.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/dust mixtures are possible.

· **Explosion limits:**

**Lower:** Not applicable.

**Upper:** Not applicable.

· **Oxidizing properties**

No

(Contd. on page 5)

— US —

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/08/2024

Version No: 8.04

Reviewed on 05/08/2024

Trade name: SONGNOX® 1024

(Contd. of page 4)

· <b>Vapor pressure at 20 °C (68 °F):</b>	1.3 - 12 hPa (1 - 9 mm Hg) (TGA measurements)
· <b>Density at 20 °C (68 °F):</b>	1.11 g/cm <sup>3</sup> (9.26295 lbs/gal) (pycnometer)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with Water at 20 °C (68 °F):</b>	>5E-6 g/L (column elution method)
· <b>Partition coefficient (n-octanol/water):</b>	4.8 log Pow (23°C °C, OECD Guideline 117)
· <b>Viscosity:</b>	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· <b>Other information</b>	No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

Oral LD50	> 7000 mg/kg (Rat) (OECD Guideline 401)
-----------	---

- **Primary irritant effect:**
- **on the skin:** Based on available data, the classification criteria are not met.
- **on the eye:** Based on available data, the classification criteria are not met.
- **Sensitization:** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** Substance is not listed.
- **NTP (National Toxicology Program)** Substance is not listed.
- **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.

**12 Ecological information**· **Toxicity**· **Aquatic toxicity:**

LC50 (96h) (static)	> 57 mg/L (fish) (OECD Guideline 203, Danio rerio) Read-across
---------------------	---

(Contd. on page 6)

— US —

## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/08/2024

Version No: 8.04

Reviewed on 05/08/2024

Trade name: SONGNOX® 1024

(Contd. of page 5)

ErC50 (72h) (static)	> 10 mg/L (algae) (OECD Guideline 201, Desmodesmus subspicatus)
EC50 (48h) (static)	> 100 mg/L (Daphnia) (OECD Guideline 202, Daphnia magna) Read-across
EC50 (3h)	≥ 100 mg/L (Bacteria) (EU Method C.11, activated sludge)
NOEC (21d)	≥ 10 mg/L (Daphnia) (OECD Guideline 211, Daphnia magna) Read-across

- **Persistence and degradability** Not readily biodegradable
- **Behavior in environmental systems:**
- **Bioaccumulative potential** Not worth-mentioning accumulation in organisms
- **Mobility in soil** max. 7.7413 logKoc
- **Ecotoxical effects:**
- **Remark:**  
No effects at its water solubility.  
Tested above the maximum solubility.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

· <b>UN-Number</b>	
· <b>DOT, ADR/RID/ADN, IMDG, IATA</b>	Void
· <b>UN proper shipping name</b>	
· <b>DOT, ADR/RID/ADN, IMDG, IATA</b>	Void
· <b>Transport hazard class(es)</b>	
· <b>DOT, ADR/RID/ADN, IMDG, IATA</b>	
· <b>Class</b>	Void
· <b>Packing group</b>	
· <b>DOT, ADR/RID/ADN, IMDG, IATA</b>	Void
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	Void

— US —

(Contd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/08/2024

Version No: 8.04

Reviewed on 05/08/2024

Trade name: SONGNOX® 1024

(Contd. of page 6)

**15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.
- **SARA**
- **Section 355 (extremely hazardous substances):** Substance is not listed.
- **Section 313 (Specific toxic chemical listings):** Substance is not listed.
- **TSCA (Toxic Substances Control Act) Inventory:** ACTIVE
- **Hazardous Air Pollutants** Substance is not listed.
- **Proposition 65**
- **Chemicals known to cause cancer:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
- **Chemicals known to cause developmental toxicity:** Substance is not listed.
- **New Jersey Right-to-Know List:** Substance is not listed.
- **New Jersey Special Hazardous Substance List:** Substance is not listed.
- **Pennsylvania Right-to-Know List:** Substance is not listed.
- **Pennsylvania Special Hazardous Substance List:** Substance is not listed.
- **Carcinogenicity categories**
- **EPA (Environmental Protection Agency)** Substance is not listed.
- **TLV (Threshold Limit Value)** Substance is not listed.
- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:**  
Chemservice S. A.  
13, Fausermillen  
L-6689 Merttert, Luxembourg  
Tel.: +352 270776-1  
Fax: +352 270776-75  
Email: sds@chemservice-group.com
- **Date of preparation / last revision** 05/08/2024 / 8.03
- **Abbreviations and acronyms:**  
ICAO: International Civil Aviation Organisation  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
MARPOL: (from Marine Pollutant) International Convention for the Prevention of Marine Pollution from Ships  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
UN: United Nations (also UNO: United Nations Organization)  
NOEC: No Observed Effect Concentration  
OECD: Organisation for Economic Co-operation and Development  
ASTM: American Society for Testing and Materials  
WAF: Water Accommodated Fraction  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent

(Contd. on page 8)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/08/2024

Version No: 8.04

Reviewed on 05/08/2024

**Trade name: SONGNOX® 1024**

(Contd. of page 7)

LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit

— US —