Revision Date 01/12/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name TECNOFLON® PL 855

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses of the Substance / Mixture

- For industrial use only

1.3 Details of the supplier of the safety data sheet

Company

SOLVAY SPECIALTY POLYMERS USA, LLC 4500 McGINNIS FERRY ROAD 30005-3914, ALPHARETTA GA USA Tel: +1-770-7728200 Fax: +1-770-7728213 Product Information: +1-800-2210553

1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CONTACT CHEMTREC (24-Hour Number): +1-800-424-9300 within the United States and Canada, or +1-703-527-3887 for international collect calls.

SECTION 2: Hazards identification

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

2.1 Classification of the substance or mixture

HCS 2012 (29 CFR 1910.1200)

- Not a hazardous product according to the OSHA Globally Harmonized System (GHS).

2.2 Label elements

HCS 2012 (29 CFR 1910.1200)

- Not a hazardous product according to the OSHA Globally Harmonized System (GHS).

2.3 Other hazards which do not result in classification

None identified

SECTION 3: Composition/information on ingredients

3.1 Substance

Not applicable, this product is a mixture.



3.2 Mixture

- Chemical nature Fluoroelastomer

Hazardous Ingredients and Impurities

- No ingredients are hazardous.

Non Hazardous Ingredients and Impurities

Chemical name	Identification number CAS-No.	Concentration [%]
Ethene, 1,1,2,2-tetrafluoro-, polymer with 1,1-difluoroethene and 1,1,2-trifluoro-2-(trifluoromethoxy)ethene	56357-87-0	

SECTION 4: First aid measures

4.1 Description of first-aid measures

In case of inhalation

Exposure to decomposition products

- Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.
- Oxygen or artificial respiration if needed.
- Symptoms of poisoning may develop many hours after exposure.
- Keep under medical supervision for at least 48 hours.

In case of skin contact

- Cool skin rapidly with cold water after contact with hot polymer.

Exposure to decomposition products

- Wash off with soap and water.
- Immediately apply calcium gluconate gel 2.5% and massage into the affected area using rubber gloves; continue to massage while repeatedly applying gel until 15 minutes after pain is relieved.
- Consult a physician.

In case of eye contact

Exposure to decomposition products

- Rinse immediately with plenty of water, also under the eyelids.
- Remove contact lenses.

In case of ingestion

- Not applicable

4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation

Effects

- The thermal decomposition vapors of fluorinated polymers may cause polymer fume fever with flu-like symptoms in humans, especially when smoking contaminated tobacco.

Symptoms

Exposure to decomposition products

- Headache
- Shortness of breath
- Cough



In case of skin contact

Effects

- No adverse effects are normally expected.

Symptoms

- Exposure to decomposition products
- Irritation
- Redness
- Burn

In case of eye contact

Effects

- No adverse effects are normally expected.

Symptoms

Exposure to decomposition products

- Irritation
- Redness
- Burn

In case of ingestion

Effects

- negligible

4.3 Indication of any immediate medical attention and special treatment needed

- no data available

SECTION 5: Firefighting measures

Flash point	The product is not flammable.
Autoignition temperature	Not applicable
Flammability / Explosive limit	No data available
5.1 Extinguishing media	
Suitable extinguishing media	
- Water - powder - Foam	

- Dry chemical
- Carbon dioxide (CO2)

Unsuitable extinguishing media

- None.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting

- The product is not flammable.
- Not explosive
- Hazardous decomposition products formed under fire conditions.



Hazardous combustion products:

- Gaseous hydrogen fluoride (HF).
- Fluorophosgene
- Fluorinated olefins
- Other hazardous decomposition products may be formed.

5.3 Advice for firefighters

Special protective equipment for fire-fighters

- Wear self-contained breathing apparatus and protective suit.
- When intervention in close proximity wear acid resistant over suit.

Further information

- Evacuate personnel to safe areas.
- Approach from upwind.
- Protect intervention team with a water spray as they approach the fire.
- Keep containers and surroundings cool with water spray.
- Keep product and empty container away from heat and sources of ignition.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel

- Prevent further leakage or spillage if safe to do so.

Advice for emergency responders

- Ensure adequate ventilation.
- Keep away from open flames, hot surfaces and sources of ignition.

6.2 Environmental precautions

- The product should not be allowed to enter drains, water courses or the soil.
- In case of accidental release or spill, immediately notify the appropriate authorities if required by Federal, State/Provincial and local laws and regulations.
- Should not be released into the environment.
- Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

- Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4 Reference to other sections

- Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Ensure adequate ventilation.
- Keep away from heat and sources of ignition.



Revision Date 01/12/2024

- Use personal protective equipment.
- To avoid thermal decomposition, do not overheat.
- Take measures to prevent the build up of electrostatic charge.
- Clean and dry piping circuits and equipment before any operations.
- Ensure all equipment is electrically grounded before beginning transfer operations.

Hygiene measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- When using do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

- Keep in properly labeled containers.
- Keep away from heat and sources of ignition.
- Keep away from combustible material.
- Keep away from incompatible products
- Provide tight electrical equipment well protected against corrosion.
- Refer to protective measures listed in sections 7 and 8.

Packaging material

Suitable material

- Plastic materials.

7.3 Specific end use(s)

- Contact your supplier for additional information

SECTION 8: Exposure controls/personal protection

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters

- Contains no substances with occupational exposure limit values.

During vulcanization small amounts of methyl iodide (CH3I) may be formed and liberated as a gas.

Components with workplace occupational exposure limits

Components	Value type	Value	Basis
Methane, iodo-	TWA	2 ppm	American Conference of Governmental Industrial Hygienists
	Danger of cu	itaneous absorptio	on
Methane, iodo-	TWA	2 ppm 10 mg/m3	National Institute for Occupational Safety and Health
	Potential Occupational Carcinogen, Potential for dermal absorption		



Methane, iodo-	TWA	5 ppm 28 mg/m3	Occupational Safety and Health Administration - Table Z-1 Limits for Air Contaminants
	Skin designatio	on	

Threshold limit values of by-products from thermal decomposition:

Components with workplace occupational exposure limits

Components	Value type	Value	Basis
Hydrofluoric acid	TWA	0.5 ppm	American Conference of Governmental Industrial Hygienists
	Danger of cu Expressed as	Itaneous absorptio :Fluorine	on
Hydrofluoric acid	С	2 ppm	American Conference of Governmental Industrial Hygienists
	Danger of cu Expressed as	Itaneous absorptio	on
Hydrofluoric acid	С	6 ppm 5 mg/m3	National Institute for Occupational Safety and Health
Hydrofluoric acid	TWA	3 ppm 2.5 mg/m3	National Institute for Occupational Safety and Health
Hydrofluoric acid			Occupational Safety and Health Administration - Table Z-1 Limits for Air Contaminants
	Expressed as	:Fluorine	
Hydrofluoric acid	TWA	3 ppm	Occupational Safety and Health Administration - Table Z-2
Carbonic difluoride	TWA	2 ppm	American Conference of Governmental Industrial Hygienists
Carbonic difluoride	STEL	5 ppm	American Conference of Governmental Industrial Hygienists
Carbonic difluoride	TWA	2 ppm 5 mg/m3	National Institute for Occupational Safety and Health
Carbonic difluoride	ST	5 ppm 15 mg/m3	National Institute for Occupational Safety and Health

8.2 Exposure controls

Control measures

Engineering measures

- Provide local ventilation appropriate to the product decomposition risk (see section 10).
- Refer to protective measures listed in sections 7 and 8.
- Apply technical measures to comply with the occupational exposure limits.

Individual protection measures



Respiratory protection

- In case of insufficient ventilation, wear suitable respiratory equipment.
- In the case of vapor formation use a respirator with an approved filter.
- In case of decomposition (see section 10), use an air breathing apparatus with face mask.
- Use only respiratory protection that conforms to international/ national standards.
- When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne
- concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.
 Comply with OSHA respiratory protection requirements.
- For additional information, consult the current edition of The Guide to the Safe Handling of Fluoropolymers published by the Society of Plastics Industry, Inc. (SPI) Fluoropolymer Division.

Hand protection

- Wear protective gloves.
- Protective gloves impervious chemical resistant:

Suitable material

- Nitrile rubber
- PVC
- Neoprene gloves
- butyl-rubber
- Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Eye protection

- Safety glasses with side-shields
- In case of high-temperature processing
- Tightly fitting safety goggles

Skin and body protection

- Long sleeved clothing
- Safety shoes

Hygiene measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- When using do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

9.1 Information on basic physical and chemical properties

Physical state	solid
<u>Form</u>	sheets
<u>Color</u>	off-white
<u>Odor</u>	odorless
Odor Threshold	Not applicable
Melting point/freezing point	Melting point/range:



Revision Date 01/12/2024

	Not applicable
Initial boiling point and boiling range	<u>Boiling point/boiling range</u> : Not applicable
<u>Flammability (solid, gas)</u>	The product is not flammable.
Flammability (liquids)	Not applicable
<u>Flammability / Explosive limit</u>	No data available
Flash point	The product is not flammable.
Autoignition temperature	No data available
Decomposition temperature	> 482 °F (> 250 °C)
	Net applicable
<u>pH</u> Viceocity	Not applicable
<u>Viscosity</u>	No data available
<u>Solubility</u>	Water solubility: insoluble
	<u>Solubility in other solvents:</u> Ketones: soluble
	Esters: soluble
Partition coefficient: n-octanol/water	No data available
Vapor pressure	Not applicable
Density	1.7 - 1.9 g/cm3 (73 °F (23 °C))
Relative density	No data available
Relative vapor density	No data available
Particle characteristics	No data available
Evaporation rate (Butylacetate = 1)	Not applicable
9.2 Other information Oxidizing properties	Not considered as oxidizing.
Self-ignition	Not applicable
Impact sensitivity	Not explosive
Molecular weight	65 - 105 kDa Polymer Molar Mass

SECTION 10: Stability and reactivity

10.1 Reactivity



- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

- No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

- To avoid thermal decomposition, do not overheat.
- Keep away from flames and sparks.

10.5 Incompatible materials

- Alkali metals (molten form)

10.6 Hazardous decomposition products

- Gaseous hydrogen fluoride (HF).
- Fluorophosgene
- Fluorinated olefins
- The release of other hazardous decomposition products is possible.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity	
Acute oral toxicity	No data available
Acute inhalation toxicity	No data available
Acute dermal toxicity	No data available
Acute toxicity (other routes of administration)	No data available
Skin corrosion/irritation	No data available
Serious eye damage/eye irritation	No data available
Respiratory or skin sensitization	No data available
Mutagenicity	
Genotoxicity in vitro	No data available
Genotoxicity in vivo	No data available
<u>Carcinogenicity</u>	No data available

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP IARC OSHA ACGIH



Revision Date 01/12/2024

Toxicity for reproduction and development		
Toxicity to reproduction / fertility	No data available	
Developmental Toxicity/Teratogenicity	No data available	
<u>STOT</u>		
STOT-single exposure	No data available	
STOT-repeated exposure	No data available	
Experience with human exposure	No data available	
Aspiration toxicity	No data available	
Further information	Description of possible hazardous to health effects is based on experience and/or toxicological characteristics of several ingredients.	
	Thermal decomposition can lead to release of toxic and corrosive gases. The exposure to decomposition products causes severe irritation of eyes, skin and mucous membranes.	

SECTION 12: Ecological information

12.1 Toxicity

Aquatic Compartment Acute toxicity to fish Acute toxicity to daphnia and other aquatic invertebrates	No data available No data available
Toxicity to aquatic plants Toxicity to microorganisms	No data available No data available
Chronic toxicity to fish	No data available
Chronic toxicity to daphnia and other aquatic invertebrates	No data available
12.2 Persistence and degradability	
Abiotic degradation	No data available
Physical- and photo-chemical elimination	No data available
Biodegradation	No data available
12.3 Bioaccumulative potential	
Partition coefficient: n-octanol/water	No data available
Bioconcentration factor (BCF)	No data available
12.4 Mobility in soil	

Revision Date 01/12/2024

Adsorption potential (Koc)	No data available
Known distribution to environmental compartments	No data available
12.5 Results of PBT and vPvB assessment	No data available
12.6 Other adverse effects	No data available
Remarks	Contains a(many) hazardous substance(s) for the environment.
	Ecological injuries are not known or expected under normal use.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Disposal

- Do not dump into any sewers, on the ground, or into any body of water. All disposal methods must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations.
- Waste characterizations and compliance with applicable laws and regulations are the responsibility of the waste generator.
- Can be incinerated, when in compliance with local regulations.
- The incinerator must be equipped with a system for the neutralization or recovery of HF.

Advice on cleaning and disposal of packaging

- Empty containers can be landfilled, when in accordance with the local regulations.

SECTION 14: Transport information

49 CFR

not regulated

TDG

not regulated

NOM

not regulated

IMDG

not regulated

<u>IATA</u>

not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information

15.1 Notification status

Inventory Information

Status



United States TSCA Inventory	 In compliance with the inventory Contains component(s) that meet the TSCA polymer exemption criteria of 40 CFR 723.250.
Canadian Domestic Substances List (DSL)	One or more components not listed on inventory
Canadian Non-Domestic Substances List (NDSL)	- One or more components not listed on inventory

15.2 Federal Regulations

US. EPA EPCRA SARA Title III

Section 313 Toxic Chemicals (40 CFR 372.65)

This statement is valid for product sold after January 1, 2024 which is the date under which this supplier notification is required under the final rule (EPA-HQ-TRI-2022-0270) amending 40 CFR 372.

This product may contain the following EPCRA section 313 chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 (40 CFR 372):

Perfluorooctanoic acid (CAS 335-67-1) at a concentration that does not exceed 25 ppb; and Perfluorononanoic acid (C9 PFCA, CAS 375-95-1), Perfluorodecanoic acid (C10 PFCA, CAS 335-76-2), Perfluorododecanoic acid (C12 PFCA, CAS 307-55-1), and Perfluorotetradecanoic acid (C14 PFCA, CAS 376-06-7) where the content of C9, C10, C12 and C14 PFCA does not exceed 25 ppb. (sum of C9-C14 PFCA < 25 ppb)

This information must be included in all SDSs that are copied and distributed for this material.

Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355) No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Section 302 Emergency Planning Extremely Hazardous Substance Reportable Quantity (40 CFR 355) This material does not contain any components with a SARA 302 RQ.

Section 304 Emergency Release Notification Reportable Quantity (40 CFR 355)

This material does not contain any components with a section 304 EHS RQ.

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

This material does not contain any components with a CERCLA RQ.

15.3 State Regulations

no data available

SECTION 16: Other information

Further information

- Product evaluated under the US GHS format.

Date Prepared: 01/12/2024

Key or legend to abbreviations and acronyms used in the safety data sheet

- C: Ceiling limit
- PEL: Permissible exposure limit



- ST: STEL 15-minute TWA exposure that should not be exceeded at any time during a workday
- STEL: Short term exposure limit
- TWA: 8-hour, time-weighted average
- ACGIH: American Conference of Governmental Industrial Hygienists
- OSHA: Occupational Safety and Health Administration
- NTP: National Toxicology Program
- IARC: International Agency for Research on Cancer
- NIOSH: National Institute for Occupational Safety and Health
- ADR: European Agreement on International Carriage of Dangerous Goods by Road.
 - ADN: European Agreement on the International Carriage of Dangerous Goods by Inland
- Waterways.

_

- RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
 IATA: International Air Transport Association.
- ICAO-TI: Technical Specification for Safe Transport of Dangerous Goods by Air.
- IMDG: International Maritime Dangerous Goods.
- TWA: Time weighted average
- ATE: Estimated value of acute toxicity
- EC: European Community number
- CAS: Chemical Abstracts Service.
- LD50: Substance that causes 50% (half) death in the test animals group (Median Fatal Dose).
- LC50: Substance concentration causing 50% (half) death in the test animals group.
- EC50: Effective Concentration of the substance causing the maximum of 50%.
- PBT: Persistent, Bioaccumulative and Toxic substance.
- vPvB: Very Persistent and Very Bioaccumulative.
- SEA: Classification, labeling, packaging regulation
- DNEL: Derived No Effect Level
- PNEC: Predicted No Effect Concentration
- STOT: Specific Target Organ Toxicity

Not all acronyms listed above are referenced in this SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.

