

SAFETY DATA SHEET

GHS

United States English (US)

Section 1. Identification

Product identifier VANLUBE® 996E

53380 **Product code**

Not available. Other means of identification

Product type Liquid.

Material uses Lubricant Additive

Vanderbilt Chemicals, LLC Supplier/Manufacturer

> 30 Winfield Street Norwalk, CT 06855

1-203-853-1400

Chemtrec: 1-800-424-9300 **Emergency telephone** number

Outside US: +1-703-527-3887

Section 2. Hazard(s) identification

OSHA/HCS status While this material is not considered hazardous by the OSHA Hazard Communication

> Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available

for employees and other users of this product.

Classification of the

substance or mixture

Not classified.

GHS label elements

Signal word No signal word.

Hazard statements No known significant effects or critical hazards.

Precautionary statements

Prevention Not applicable. Response Not applicable. Storage Not applicable. **Disposal** Not applicable. **Hazards not otherwise** None known.

classified

Validation date: 12/10/2025 Date of previous issue: 2/13/2023 1/12

Section 3. Composition and ingredient information

Substance/mixture
Other means of
identification

Mixture Not available.

Ingredient name	CAS number	% by weight
sulfur compound	-	80 - 100
tolutriazole compound	-	5 - 10
ester solution	-	5 - 10

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur. In case of inhalation of decomposition products in

a fire, symptoms may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion Wash out mouth with water. If material has been swallowed and the exposed person is

conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contactNo known significant effects or critical hazards.InhalationNo known significant effects or critical hazards.Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contactNo specific data.InhalationNo specific data.Skin contactNo specific data.IngestionNo specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments No specific treatment.

Protection of first-aidersNo action shall be taken involving any personal risk or without suitable training.

Validation date: 12/10/2025 Date of previous issue: 2/13/2023 2/12

Section 4. First aid measures

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

media

Use an extinguishing agent suitable for the surrounding fire.

None known.

Specific hazards arising

from the chemical

Hazardous thermal decomposition products

In a fire or if heated, a pressure increase will occur and the container may burst.

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides

Special protective actions

for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill Stop leak if without risk. Move containers from spill area. Absorb with an inert material

and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Large spill Stop leak if without risk. Move containers from spill area. Prevent entry into sewers,

water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local

regulations.

 Validation date:
 12/10/2025
 Date of previous issue:
 2/13/2023
 3/12

Section 7. Handling and storage

Precautions for safe handling

Protective measures
Advice on general
occupational hygiene

Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

None.

Appropriate engineering controls

Environmental exposure controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: splash goggles

Skin protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Validation date: 12/10/2025 Date of previous issue: 2/13/2023 4/12

Section 8. Exposure controls and personal protection

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Personal protective equipment (Pictograms)



Section 9. Physical and chemical properties

Appearance

Physical state Liquid.
Color Amber.

Odor Not available.
Odor threshold Not available.

PH Not available.

Melting point Not available.

Boiling point Not available.

Flash point Closed cup: 170°C (338°F) [Pensky-Martens]

Burning timeNot applicable.Burning rateNot applicable.Evaporation rateNot available.Flammability (solid, gas)Not available.Lower and upper explosiveNot available.

(flammable) limits

Vapor pressureNot available.Vapor densityNot available.DensityNot available.

Relative density 1.06

Solubility(ies)

Media	Result
cold water	Not soluble

Solubility in water Not available.

Partition coefficient: n- Not applicable.

octanol/water

Auto-ignition temperature Not available.

Decomposition temperature Not available.

SADT Not available.

Viscosity Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): Not available.

 Validation date:
 12/10/2025
 Date of previous issue:
 2/13/2023
 5/12

Section 10. Stability and reactivity

ReactivityNo specific test data related to reactivity available for this product or its ingredients.

Chemical stability The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data.

Incompatible materials No specific data.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
sulfur compound	LD50 Dermal	Rabbit	>2000 mg/kg	-
·	LD50 Oral	Rat	16000 mg/kg	-
tolutriazole compound	LD50 Dermal	Rabbit	>2000 mg/kg	-
·	LD50 Oral	Rat	>5000 mg/kg	-
ester solution	LC50 Inhalation Dusts and mists	Rat	>5.1 mg/l	4 hours
	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	>2000 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
sulfur compound	Eyes - Not irritant	Rabbit	-	-	-
	Skin - Not irritant	Rabbit	-	-	-
tolutriazole compound	Eyes - Not irritant	Rabbit	-	0.5 minutes	-
	Skin - Mild irritant	Rabbit	-	-	-

Sensitization

Product/ingredient name	Route of exposure	Species	Result
sulfur compound	skin	Mouse	Not sensitizing
tolutriazole compound	skin	Guinea pig	Not sensitizing
ester solution	skin	Guinea pig	Not sensitizing

Mutagenicity

Validation date: 12/10/2025 Date of previous issue: 2/13/2023 6/12

Section 11. Toxicological information

Product/ingredient name	Test	Experiment	Result
sulfur compound	OECD 471	Experiment: In vitro Subject: Bacteria	Negative
	OECD 476	Experiment: In vitro Subject: Mammalian-Animal	Negative
	OECD 473	Experiment: In vitro Subject: Mammalian-Human	Negative
tolutriazole compound	OECD 471	Experiment: In vitro Subject: Bacteria	Negative
	OECD 490	Experiment: In vitro Subject: Mammalian-Animal	Negative
	OECD 473	Experiment: In vitro Subject: Mammalian-Human	Negative
	OECD 474	Experiment: In vivo Subject: Mammalian-Animal	Negative
ester solution	-	Experiment: In vitro Subject: Bacteria	Negative
	-	Experiment: In vitro Subject: Mammalian-Animal	Negative

Carcinogenicity

Not available.

Reproductive toxicity

Product/ingredient name	Maternal	Fertility	Development	Species	Dose	Exposure
	toxicity		toxin			
sulfur compound	-	_	-	Rat	Oral:	_
·					1000	
					ppm	
					NOAEL,	
					Adult	
	-	-	-	Rat	Oral:	-
					>20000	
					ppm	
					NOAEL,	
					Offspring	

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

 Validation date:
 12/10/2025
 Date of previous issue:
 2/13/2023
 7/12

Section 11. Toxicological information

Potential acute health effects

Eye contactNo known significant effects or critical hazards.InhalationNo known significant effects or critical hazards.Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contactNo specific data.InhalationNo specific data.Skin contactNo specific data.IngestionNo specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate Not available.

effects

Potential delayed effects Not available.

Long term exposure

Potential immediate Not available.

effects

Potential delayed effects Not available.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
sulfur compound	Sub-acute NOAEL Oral	Rat	1000 ppm	-
tolutriazole compound	Sub-acute NOEL Oral	Rat - Male	150 mg/kg	28 days
	Sub-acute NOEL Oral	Rat - Female	1000 mg/kg	28 days
ester solution	Sub-acute NOAEL Oral	Rat	1450 mg/kg	-

GeneralNo known significant effects or critical hazards.CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	35000 mg/kg
Dermal	17500 mg/kg

Other information Not available.

 Validation date:
 12/10/2025
 Date of previous issue:
 2/13/2023
 8/12

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
sulfur compound	Acute EC50 >0.0325 mg/l	Algae	72 hours
-	Acute EC50 >0.052 mg/l	Daphnia	48 hours
	Acute EC50 >1000 mg/l	Micro-organism	3 hours
	Acute LC50 >0.06 mg/l	Fish	96 hours
	Acute NOEC 0.0325 mg/l	Algae	72 hours
	Acute NOEC 0.052 mg/l	Daphnia	48 hours
	Acute NOEC 0.06 mg/l	Fish	96 hours
	Acute NOEC 1000 mg/l	Micro-organism	3 hours
	Chronic NOEC 0.247 mg/l	Daphnia	21 days
tolutriazole compound	Acute EC50 >5 mg/l (Up to the	Algae	72 hours
	maximum attainable concentration of 5		
	mg/l no toxic effects to aquatic		
	organisms have been observed.)		
	Acute EC50 >5 mg/l (Up to the	Daphnia	48 hours
	maximum attainable concentration of 5		
	mg/l no toxic effects to aquatic		
	organisms have been observed.)		
	Acute LC50 >5 mg/l (Up to the	Fish	96 hours
	maximum attainable concentration of 5		
	mg/l no toxic effects to aquatic		
	organisms have been observed.)		
ester solution	Acute EC50 >1000 mg/l	Algae	72 hours
	Acute EC50 >100 mg/l	Daphnia	48 hours
	Acute LC50 >1000 mg/l	Fish	96 hours

Persistence and degradability

Product/ingredient name	Test	Result		Dose		Inoculum
sulfur compound tolutriazole compound ester solution	OECD 301B OECD 301B -	21 % - Not readily - 28 days 0 % - Not readily - 28 days 96 % - Readily - 28 days		-		- - -
Product/ingredient name	Aquatic half-life		Photolysis		Biodeg	radability
sulfur compound tolutriazole compound ester solution	- - -		-		Not rea Not rea Readily	ıdily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
sulfur compound	8.42	10.86	Low
ester solution	>6	-	High

Mobility in soil

Soil/Water partition coefficient

Not available.

Other adverse effects

No known significant effects or critical hazards.

 Validation date:
 12/10/2025
 Date of previous issue:
 2/13/2023
 9/12

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG*: Packing group

Section 15. Regulatory information

U.S. Federal regulations

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

TSCA 12(b) - Chemical export notification

Not applicable.

Clean Air Act Section 112

Not listed

(b) Hazardous Air

Pollutants (HAPs)

Not listed

Class I Substances

.

Clean Air Act Section 602

Clean Air Act Section 602

Not listed

Class II Substances
DEA List I Chemicals

Not listed

(Precursor Chemicals)

Not listed

DEA List II Chemicals (Essential Chemicals)

NOUTE

SARA 302/304

Composition/information on ingredients

No products were found.

 Validation date:
 12/10/2025
 Date of previous issue:
 2/13/2023
 10/12

Section 15. Regulatory information

SARA 304 RQ Not applicable.

SARA 311/312

Classification Not applicable.

Composition/information on ingredients

No products were found.

State regulations

MassachusettsNone of the components are listed.New YorkNone of the components are listed.New JerseyNone of the components are listed.PennsylvaniaNone of the components are listed.California Prop. 65None of the components are listed.

Inventory list

Australia All components are listed or exempted. Canada All components are listed or exempted. China All components are listed or exempted. **Japan** All components are listed or exempted. **New Zealand** All components are listed or exempted. **Philippines** All components are listed or exempted. Republic of Korea All components are listed or exempted. **Taiwan** All components are listed or exempted. **United States** All components are active or exempted.

Section 16. Any other relevant information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)

 Validation date:
 12/10/2025
 Date of previous issue:
 2/13/2023
 11/12

Section 16. Any other relevant information



History

Date of printing 12/10/2025

Date of issue/Date of 12/10/2025

revision

Date of previous issue 2/13/2023

Version 4

Key to abbreviations ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

References Not available.

Information contact Vanderbilt Global Services, LLC

Corporate Risk Management

1-203-295-2143

Visit www.vanderbiltchemicals.com for more information.

Notice to reader

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Nothing herein is to be construed as recommending any practice or any product in violation of any patent or in violation of any law or regulation. It is the user's responsibility to determine for himself the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. We make no warranty as to the results to be obtained in using any material and, since conditions of use are not under our control, we must necessarily disclaim all liability with respect to the use of any material supplied by us.

Validation date: 12/10/2025 Date of previous issue: 2/13/2023 12/12