

Specification

VANAX[®] 808 HP Accelerator

May 3, 2007

RTV Product Code:**35110**Composition:3,5-diethyl-1,2-dihydro-1-phenyl-2-propylpyridinePhysical State:Yellow to amber liquid

	Specification	Test Method
*Assay	85.0% minimum	82-13
*Color, Gardner	10 maximum	82-11
*Viscosity at 25°C	60 cps maximum	82-12
*Water Content	0.2% maximum	83-08

GENERAL INFORMATION

Typical values not routinely measured or reported on the Certificate of Analysis.

Density at 25°C	0.965 Mg/m ³
Flash Point, TOC	>149°C/300°F

*Certified Property

Uses - NR, SBR, CR, IIR, and latex accelerator of intermediate strength. Activator for acidic accelerators. Excellent for reclaims, hard rubber stocks and CR cements containing litharge. Latex vulcanizates age well. Also used as a secondary accelerator in CPE.

VANAX is a registered trademark of R.T. Vanderbilt Holding Company, Inc. and/or its respective wholly owned subsidiaries.

The information presented herein, while not guaranteed, was prepared by technical personnel and, to the best of our knowledge and belief, is true and accurate as of the date hereof. No warranty, representation or guarantee, express or implied, is made regarding accuracy, performance, stability, reliability or use. This information is not intended to be all –inclusive, because the manner and conditions of use, handling, storage and other factors may involve other or additional safety or performance considerations. The user is responsible for determining the suitability of any material for a specific purpose and for adopting such safety precautions as may be required. Vanderbilt Chemicals, LLC does not warrant the results to be obtained in using any material, and disclaims all liability with respect to the use, handling or further processing of any such material. No suggestion for use is intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patent or to violate any federal, state or local law or regulation.